

Table 1 Means of germination rate evaluated under different levels of NaCl. Values are mean  $\pm$  standard deviation. Data represents the mean of four replicates  $\pm$  standard deviation.

Treatments	0 mM	51.33 mM	128.42 mM	256.54 mM
MCH	0.97 $\pm$ 0.019	0.78 $\pm$ 0.037	0.46 $\pm$ 0.481	0
MMD	0.89 $\pm$ 0.030	0.68 $\pm$ 0.042	0.11 $\pm$ 0.029	0
PICO	0.96 $\pm$ 0.016	0.86 $\pm$ 0.033	0.13 $\pm$ 0.315	0
AG (F1)	0.96 $\pm$ 0.022	0.53 $\pm$ 0.045	0.10 $\pm$ 0.027	0
HZ	0.91 $\pm$ 0.029	0.78 $\pm$ 0.037	0.20 $\pm$ 0.037	0
RG	0.96 $\pm$ 0.014	0.84 $\pm$ 0.033	0.29 $\pm$ 0.001	0
STP	0.95 $\pm$ 0.024	0.81 $\pm$ 0.035	0.34 $\pm$ 0.043	0
ELG	0.95 $\pm$ 0.019	0.77 $\pm$ 0.037	0.18 $\pm$ 0.035	0